



CHANGING WITH YOU

DRAINAGE SOLUTIONS FOR WET ROOMS





POINT & LINEAR DRAINAGE FOR WET ROOMS.

LINNUM 50 SERIES


LINNUM 70 SERIES

CAMALEON SERIES

Solutions in line with the latest design trends.
Various products models are available
depending on the shape of the shower tray
you may require.

Every model has various grid designs
available. Made in stainless steel, cut by laser
or stamping tool, even in glass finishing.

An elegant product which can add a touch
of distinction to your bathroom.




LINNUM 50 SERIES



DESIGNED THINKING OF YOU

Specific solutions for the latest bathroom trends.





LINNUM 50 SERIES

EASY TO INSTALL
PERFECT FINISHING
AND MAXIMUM RELIABILITY

The exclusive technology used on the Linum drainage channels ensures its complete water tightness.



INFINITE POSSIBILITIES

The Soft grid model in the Linnum drainage channels is reversible, which enables the installation of personalized finishing in your shower trays.

You can obtain a linear finishing aligned with the floor one, by using the same material than the one used in walls and floor.



OPTIONS FOR EVERYONE

The linear drainage allows more stylized designs thanks to the easiness in the shower slope installation. A wide range of solutions with 6 different lengths, 2 heights and 2 visible or invisible frame solutions, with removable trap, have been thought to solve any situation.

7

GRID DESIGNS

- Soft Model
- Square Model*
- Elegance Model
- Bubble Model
- Spring Model*
- White Crystal Finishing
- Black Crystal Finishing

You can choose among 5 metal grid designs made in stainless steel, laser cut* or stamping made. A crystal model is available in white and black finishing.

2

TRAP VERSIONS

- 50 mm water seal
- 30 mm water seal

2

OUTLET OPTIONS

- Horizontal outlet: female 40 mm
- 45° orientable outlet: male 40/50 mm

As an option, 2 types of outlets are available, you can choose a female connection with nut & joint in Ø40 mm (which can be glued) or a 45° Elbow, male outlet in Ø40/50 mm which can be oriented.

6

LENGTHS

- 350 mm
- 550 mm
- 650 mm
- 750 mm
- 850 mm
- 950 mm

The channel bodies are available in 6 different lengths, which include the following elements: channel body with integrated trap made in ABS, height regulation feet, screws, pins, water tightening fixation elements and removable trap.

124

POSSIBILITIES

LINNUM 50

6 GRID DESIGNS + 2 TYPES OF FRAME

SOFT MODEL



SPRING MODEL*



SQUARE MODEL*



CRYSTAL WHITE MODEL



ELEGANCE MODEL



CRYSTAL BLACK MODEL




BUBBLE MODEL



SOFT WITH CONCEALED FRAME MODEL*




*Concealed frame model is available for all the Linnum 50 versions.



LINNUM 70 SERIES





ADAPTED TO
NEW
LIFE STYLE

LINNUM 70 SERIES

LINNUM 70 SERIES

TAKING CARE OF EVERY DETAIL

The best features in six different lengths.



LINEAR SHAPES SIMPLE AND ELEGANT

Simple, elegant and quality design, perfect to give personality to your environment.



OPTIMUM RESULT

The exclusive water tightening elements fixation technology, the drain channel floor fixation, the height regulation system, or the final water tightening finishing, get an easy to install set, perfect finishing and reliable operation.

5

GRID DESIGNS

- Soft Model
- Classic Model
- Sequence Model*
- Garden Model*
- Waves Model*

You can choose 5 available grid designs, made in stainless steel, laser cut* or stamping cut.

2

OUTLET OPTIONS

- Horizontal outlet: 40 mm female.
- 45° orientable outlet: 40/50 mm, male

As an option, two outlets are available, you can choose a Ø40 mm female nut & joint, or a Ø40/50 mm PP male 45° elbow.

6

LENGTHS

- 350 mm
- 550 mm
- 650 mm
- 750 mm
- 850 mm
- 950 mm

Channel bodies are available as a complete set, in 6 different lengths, including the following elements: channel bodies, orientable trap, height regulation feet, screws, pins and water tightening fixation elements.

120

POSSIBILITIES

LINNUM 70

5 GRID DESIGNS

SOFT MODEL




CLASSIC MODEL



SEQUENCE MODEL*



GARDEN MODEL*




WAVES MODEL*



* LASER CUT



CAMALEON SERIES





DESIGNS ADAPTED
TO EVERY
BATHROOM





CAMALEON SERIES

GUARANTY OF QUALITY

At Jimten we develop solutions for areas which require a high finishing quality and a excellent operation precision.

The adaptable Camaleon floor gully is perfect for areas where great aesthetics is required as well as optimal drainage. Suitable for private or public installations such as: spas, gyms, swimming pools, terraces, changing rooms...



EXCLUSIVE DESIGNS

Elegant shapes and perfect finishing in stainless steel and chromed, which can be integrated everywhere.



CHOOSE YOUR DESIGN

The CAMALEON series offers many options with its 6 grid designs available and 3 different sizes, completed by 2 types of traps and outlets.

A total of 48 options are available. You can adapt them to any bathroom style.

6

GRID DESIGNS

- Square Model*
- Waves Model*
- Oval Model*
- Classic Model
- 120 Model
- 150 Model

There are various grid options in stainless steel, laser* or stamping cut, in both chromed or polished finishing which can be adapted to any installation.

3

DIFFERENT SIZES

- 100 X 100 mm
- 120 X 120 mm
- 150 X 150 mm

2

TRAP VERSIONS

- 50 mm water seal
- 30 mm water seal

Two versions of internal trap, one with a 50 mm water seal, according to the EN1253 norm, and a new version with 30 mm water seal, will allow you to select the most suitable model depending on the free space in your installation.

2

OUTLET VERSIONS

- 40M/ 40 F
- 40 M/ 50 M
- 50 M (vertical or horizontal)

48
POSSIBILITIES

GRIDS CAMALEON SERIES

3 SIZES

CAMALEON 100 SERIES

SQUARE MODEL*

WAVE MODEL*

OVAL MODEL*

CLASSIC MODEL

STAINLESS STEEL
FINISHING

CHROMED FINISHING



CAMALEON 120 SERIES

SQUARE MODEL*

CAMALEON 120 MODEL

STAINLESS STEEL
FINISHING

CHROMED FINISHING



CAMALEON 150 SERIES

CUADRICULA MODEL*

CAMALEON 150 MODEL

STAINLESS STEEL
FINISHING

CHROMED FINISHING



* LASER CUT


TECHNICAL INFORMATION





LINNUM 50 SERIES


DIMENSIONS



DATA SHEET

	350 mm	550 mm	650 mm	750 mm	850 mm	950 mm
A	389,00	589,00	689,00	789,00	889,00	989,00
B	370,00	570,00	670,00	770,00	870,00	970,00
C	340,00	540,00	640,00	740,00	840,00	940,00
D	51,50	51,50	51,50	51,50	51,50	51,50


Only shallow version



LINNUM 50 SHALLOW

LINNUM 70 SERIES

DIMENSIONS











DATA SHEET

	350 mm	550 mm	650 mm	750 mm	850 mm	950 mm
A	400,00	600,00	700,00	800,00	900,00	1000,00
B	370,00	570,00	670,00	770,00	870,00	970,00
C	340,00	540,00	640,00	740,00	840,00	940,00
D	71,50	71,50	71,50	71,50	71,50	71,50







REFERENCES

LINNUM 50
LINNUM 70

GRIDS

	MODEL	SIZE	REF.	350 mm	550 mm	650 mm	750 mm	850 mm	950 mm
	WHITE	50 mm	S-757			13564			
	BLACK	50 mm	S-757			13563			
	ELEGANCE	50 mm	S-753	13536	13556	13566	13576	13586	13596
	SQUARE	50 mm	S-754	13537	13557	13567	13577	13587	13597
	SPRING	50 mm	S-755	13538	13558	13568	13578	13588	13598
	BUBBLE	50 mm	S-756	13539	13559	13569	13579	13589	13599
	SOFT	50 mm	S-752	13535	13555	13565	13575	13585	13595
	SOFT	70 mm	S-772	13735	13775	13765	13775	13785	13795
	CLASSIC	70 mm	S-773	13736	13756	13766	13776	13786	13796
	WAVES	70 mm	S-775	13738	13758	13768	13778	13788	13798
	GARDEN	70 mm	S-774	13737	13757	13767	13777	13787	13797
	SEQUENCE	70 mm	S-776	13739	13759	13769	13779	13789	13799

BODY WITHOUT GRID





	OUTLET	TRAP	SIZE	REF.	350 mm	550 mm	650 mm	750 mm	850 mm	950 mm
	40F	50	50 mm	S-750	13530	13550	13560	13570	13580	13590
	40F / 50M	30	50 mm	S-650			13461	13471	13481	13491
	40F	50	70 mm	S-770	13730	13750	13760	13770	13780	13790
	ORIENTABLE 40/50M	50	50 mm	S-750	13531	13551	13561	13571	13581	13591
	ORIENTABLE 40/50M	30	50 mm	S-650			13460	13470	13480	13490
	ORIENTABLE 40/50M	50	70 mm	S-770	13731	13751	13761	13771	13781	13791

(With concealed frame, the same reference number, with "I" at the beginning)


TECHNICAL DATA

CAMALEON SERIES


DIMENSIONS



CAMALEON 150










CAMALEON 120



CAMALEON 100

REFERENCES

CAMALEON SERIES

														
				CLASSIC	CLASSIC		WAVES	OVAL		SQUARE	120	150		
				NOT CHROMED	C/	NOT C	C/	NOT C	C/	NOT C	NOT C	NOT C		
100 mm	S-429	50 mm	40 M / F	12938										
			40 M / 50 M	12958										
	S-555	30 mm	40 M / 50 F	13800										
			40 M / 50 M	13802										
	S-430	50 mm	40 M / 40 F		12948	12927	12946	12956	12947	12957	12945	12955		
			40 M / 50 M		12968	12937	12966	12976	12967	12977	12965	12975		
	S-565	30 mm	40 M / 40 F		13801	13601	13806	13606	13808	13608	13804	13604		
			40 M / 50 M		13803	13603	13807	13607	13809	13609	13805	13605		
120 mm	S-520	50 mm	50 M VERTICAL							13626	13826	13820		
			40M / 50 M HORIZONTAL								13627	13827	13821	
150 mm	S-550	50 mm	50 M VERTICAL							13656	13856			13850
			40M / 50 M HORIZONTAL								13657	13857		

As an option, pre-assembled water tightening elements can be supplied: PVC or geotextile fabric.
Models with integrated water tightness and PS slopes are also available.

JIMTEN S.A.

Ctra. de Ocaña, 125 C.P. 03114

5285 C.P. 03080

Tel. +34 965 10 90 44

Fax. +34 965 11 50 82

ALICANTE (ESPAÑA)

www.jimten.com

Empesa registrada según normas:



EN-0084/1996



GA-1990/0136



an *OAliaxis* company